



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/719,104	11/21/2003	Steven R. Sedlmayr	AUO1015	1947

7590 11/26/2004
Law Office of Roxana H. Yang
P.O. Box 400
Los Altos, CA 94023

EXAMINER

FINEMAN, LEE A

ART UNIT PAPER NUMBER

2872

DATE MAILED: 11/26/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/719,104

Applicant(s)

SEDLMAYR, STEVEN R.

Examiner

Lee Fineman

Art Unit

2872

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 10 September 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 133-156 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 133-156 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 21 November 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☐ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 9/10/04.
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: _____.

DETAILED ACTION

This Office Action is in response to remarks filed 10 September 2004. Claims 133-156 are pending.

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 133-156 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kurematsu et al., U.S. Patent No 5,153,752 in view of Konno et al., U.S. Patent No 4,497,015.

Kurematsu et al. disclose in fig. 2 a system and method of producing one or more collinear beams of electromagnetic energy/light, comprising [a] means (20, 21, 22, 23) for producing two or more separate beams (S_1 , S_2) of electromagnetic energy/light, each of the separate beams of electromagnetic energy/light having a same selected predetermined orientation (S) of a chosen component of electromagnetic wave field vectors substantially across each beam, and a predetermined range of wavelengths (from light source 20); [b] means (25R, 25G, 25B) for altering the selected predetermined orientation of the chosen component of the electromagnetic wave field vectors of a plurality of portions of each of the separate beams of electromagnetic energy/light by passing the plurality of portions of each of the separate beams of electromagnetic energy/light through a respective one of a plurality of altering means whereby the selected predetermined orientation of the chosen component of the electromagnetic wave

Art Unit: 2872

field vectors of the plurality of portions of each of the separate beams of electromagnetic energy/light is altered in response to a stimulus means by applying a signal means to the stimulus means in a predetermined manner as the plurality of portions of each of the separate beams of electromagnetic energy/light passes through the respective one of the plurality of means for altering the selected predetermined orientation of the chosen component of the electromagnetic wave field vectors (column 6, line 45-column 7, line 26); [c] means (24) for combining the altered separate beams of electromagnetic energy/light into a single collinear beam of electromagnetic energy/light without substantially changing the altered selected predetermined orientation of the chosen component of the electromagnetic wave field vectors of the plurality of portions of each of the separate beams of electromagnetic energy/light (column 7, lines 27-37); and [d] means (21, 23) for resolving from the single collinear beam of electromagnetic energy/light a first resolved beam of electromagnetic energy/light having substantially a first selected predetermined orientation of a chosen component of electromagnetic wave field vectors and a second resolved beam of electromagnetic energy/light having substantially a second selected predetermined orientation of a chosen component of electromagnetic wave field vectors, whereby the first and second selected predetermined orientation of the chosen component of the electromagnetic wave field vectors are different from one another (column 7, lines 37-48); means (26) for passing one of the resolved beams of electromagnetic energy/light to a projection means (not shown); and means (24) for adjusting the electromagnetic/light spectrum of at least one of the separate beams of electromagnetic energy/light in which the means for adjusting the electromagnetic/light spectrum of at least one of the separate beams of electromagnetic energy/light includes means for adjusting a predetermined range of wavelengths (the dichroic

Art Unit: 2872

mirrors filter specific wavelengths e.g. blue) and a magnitude (in so far as the magnitude of the remove wavelength is adjusted to zero) of at least one of the separate beams of electromagnetic energy/light. Kurematsu et al. disclose the claimed invention except for the separated beam being a substantially uniform flux intensity substantially across the beam of electromagnetic energy/light and a rectangular cross sectional area. Konno et al. disclose a light illumination device (fig. 5) which produces a primary beam (at M) which has a substantially uniform flux intensity substantially across the initial beam of light (column 5, lines 43-52) and has a rectangular cross sectional area (using lens element 102, fig. 3; column 3, lines 5-8). It would have been obvious to one of ordinary skill in the art at the time the invention was made to replace the light source of Kurematsu et al. with that of Konno et al. to have a more uniform intensity light beam and provide a more consistent image. The method of utilizing the structure of the claim is inherent therein.

Response to Arguments

3. Applicant's arguments filed 10 September 2004 have been fully considered but they are not persuasive.

In response to applicant's argument that Konno et al. is nonanalogous art, it has been held that a prior art reference must either be in the field of applicant's endeavor or, if not, then be reasonably pertinent to the particular problem with which the applicant was concerned, in order to be relied upon as a basis for rejection of the claimed invention. See *In re Oetiker*, 977 F.2d 1443, 24 USPQ2d 1443 (Fed. Cir. 1992). In this case, the particular problem with which the applicant was concerned is illuminating a liquid crystal device with a uniform flux light source to display an image. Konno et al. clearly provides a light illumination device with

Art Unit: 2872

uniform flux/intensity for providing illumination of an object (see abstract and field of the invention). Although Konno et al. further state in the field of the invention that the present invention relates “**more particularly** to a light illumination system suitable for use in an exposure device for fabricating semiconductor devices such as ICs” it is not limited to use only in those devices.

In response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case, Konno et al. teaches a light illumination device with uniform flux for providing illumination of an object. Clearly replacing a light source (of Kurematsu) with a more efficient one (Konno) that provides a more uniform light intensity on the object is knowledge generally available to one of ordinary skill in the art and an appropriate motivation.

The applicant also argues that the references cannot be combined and further would have no reason to combine because Konno teaches away from the combination and would render the prior art invention being modified unsatisfactory for its intended purpose. Applicant states that because Konno discloses an optical system for producing reduced images and Kurematsu discloses an optical system for producing enlarged images, the combination is not appropriate and in fact teach away from each other. The examiner respectfully disagrees. The combination is directed to the light source of each optical system not the optics for displaying/projecting the

Art Unit: 2872

image. Both Kurematsu and Konno have light sources that provide collimated white light to the optics of the system, which in turn will reduce or enlarge the light beam as required. Again, it is clearly appropriate and within the knowledge of one of ordinary skill in the art to replace the light source of Kurematsu with a more efficient one (Konno) to provide a more uniform light intensity on an object.

Finally the applicant argues that Kurematsu does not disclose steps [c] and [d] because the light beams returning from the cross dichroic prism 24 into beam splitters 21 and 23 are two separate beam of combined light rather than combined into a single beam of collinear light. The examiner respectfully disagrees and refers to the applicant's own disclosure (figs. 3 and 5; page 60, line 8-page 61, line 8) as evidence that beams that emanate from the same direction (53, 58 and 60) and aligned next to each other are considered combined into a single beam. Therefore the light beams returning from the cross dichroic prism 24 into beam splitters 21 and 23 are a single collinear beam as claimed in step [c] and the beam is resolved into two resolved beams by beam splitters 21 and 23 as claimed in step [d].

Conclusion

4. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period

Art Unit: 2872

will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lee Fineman whose telephone number is (571) 272-2313. The examiner can normally be reached on Monday - Friday 7:30 - 4:00.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Drew Dunn can be reached on (571) 272-2312. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



LAF

November 15, 2004



MARK A. ROBINSON
PRIMARY EXAMINER